

**Table 1. Deer removal by year from Indiana State Parks (Indiana Dept of Natural Resources data)**

**Parks in bold italics have deer at populations levels where habitat is recovering.**

	<b>Brown Co</b>		<b>Charlestown</b>		Harmonie		Potato Creek		Shades		<b>Versailles</b>			
Year	R/E	#/SqMi	R/E	#/Sq Mi	R/E	#/Sq Mi	R/E	#/Sq Mi	R/E	#/Sq Mi	R/E	#/Sq Mi		
1993	0.84	15.9												
1995	0.61	21.4	0.25	11.6	1.39	69.1	1.26	58.3						
1996	0.35	24.1	0.39	29.6	1.01	98.7	0.89	79.0						
1997	0.22	12.3	0.24	15.9			0.51	43.7	1.15	59.8	0.69	67.9		
1998			0.21	13.1	0.75	68.6	0.27	22.7	0.32	30.9	0.29	27.5		
1999	0.27	13.9			0.51	45.5			0.12	4.2	0.19	16.5		
2000			0.35	26.5	0.45	38.6	0.3	21.7	0.41	35.9				
2001	0.22	9.9	0.21	14.0	0.43	38.1			0.27	22.0	0.31	25.7		
<b>McCormick Cr</b>		<b>Pokagon</b>		Lincoln		<b>Ind Dunes</b>		Tippecanoe R		Whitewater				
	R/E	#/SqMi	R/E	#/Sq Mi	R/E	#/Sq Mi	R/E	#/Sq Mi	R/E	#/Sq Mi	R/E	#/Sq Mi		
1996	0.62	55.2	1.33	66.3	0.46	44.1								
1997	0.32	24.5	0.47	21.9	0.38	27.6			1.23	117.8	0.94	105.5		
1998							0.67	59.0			0.4	42.4		
1999	0.36	27.6	0.34	18.7			0.4	34.3	0.79	76.9				
2000	0.22	14.7	0.41	39.6	0.35	27.6	0.38	29.9	0.49	45.1	0.55	58.9		
2001			0.17	12.3	0.38	24.6	0.2	15.5	0.27	24.1	0.33	34.8		
Chain'o'Lakes		Clifty Falls		<b>Spring Mill</b>		<b>Shakamac</b>		Turkey Run		Parks not hunted				
	R/E	#/Sq Mi	R/E	#/Sq Mi	R/E	#/Sq Mi	R/E	#/Sq Mi	R/E	#/Sq Mi				
1998	0.9	80.4	0.42	51.2							Ft. Harrison			
1999					0.43	35.0	0.52	41.6	0.49	38.9	Mounds			
2000	0.56	52.0	0.4	47.0	0.2	10.7	0.23	16.4	0.35	25.7	Oubache			
2001	0.48	42.0	0.17	32.4					0.28	18.0	Prophetstown			
Note: Removal from Shades in 1999 and from Clifty Falls (all years) was by bow hunters										Summit Lake				
Brown Co. 1993 was a one day removal and 1995 was a three day removal														
R/E = Reduction per effort (a value of 0.20 equals 20 deer removed in one day by 100 individuals)														
#/Sq mile = number of deer removed per square mile of park habitat														

**Table 2. Deer removal by year from Indiana State Parks (Indiana Dept. of Natural Resources data)**

**Parks in bold italics should have a deer reduction in 2002 based on recommended program.**

	Brown Co		Charlestown		<i>Harmonie</i>		<i>Potato Cr</i>		<i>Shades</i>		<i>Versailles</i>	
Year	R/E	#/SqMi	R/E	#/Sq Mi	R/E	#/Sq Mi	R/E	#/Sq Mi	R/E	#/Sq Mi	R/E	#/Sq Mi
1993	0.84	15.9										
1995	0.61	21.4	0.25	11.6	1.39	69.1	1.26	58.3				
1996	0.35	24.1	0.39	29.6	1.01	98.7	0.89	79.0				
1997	0.22	12.3	0.24	15.9			0.51	43.7	1.15	59.8	0.69	67.9
1998			0.21	13.1	0.75	68.6	0.27	22.7	0.32	30.9	0.29	27.5
1999	0.27	13.9			0.51	45.5			0.12	4.2	0.19	16.5
2000			0.35	26.5	0.45	38.6	0.3	21.7	0.41	35.9		
2001	0.22	9.9	0.21	14.0	0.43	38.1			0.27	22.0	0.31	25.7
	<i>McCormick Cr</i>		Pokagon		<i>Lincoln</i>		Ind Dunes		<i>Tippecanoe R</i>		<i>Whitewater</i>	
	R/E	#/SqMi	R/E	#/Sq Mi	R/E	#/Sq Mi	R/E	#/Sq Mi	R/E	#/Sq Mi	R/E	#/Sq Mi
1996	0.62	55.2	1.33	66.3	0.46	44.1						
1997	0.32	24.5	0.47	21.9	0.38	27.6			1.23	117.8	0.94	105.5
1998							0.67	59.0			0.4	42.4
1999	0.36	27.6	0.34	18.7			0.4	34.3	0.79	76.9		
2000	0.22	14.7	0.41	39.6	0.35	27.6	0.38	29.9	0.49	45.1	0.55	58.9
2001			0.17	12.3	0.38	24.6	0.2	15.5	0.27	24.1	0.33	34.8
	<i>Chain'o'Lakes</i>		<i>Clifty Falls</i>		<i>Spring Mill</i>		<i>Shakamac</i>		<i>Turkey Run</i>			
	R/E	#/Sq Mi	R/E	#/Sq Mi	R/E	#/Sq Mi	R/E	#/Sq Mi	R/E	#/Sq Mi		
1998	0.9	80.4	0.42	51.2								
1999					0.43	35.0	0.52	41.6	0.49	38.9		
2000	0.56	52.0	0.4	47.0	0.2	10.7	0.23	16.4	0.35	25.7		
2001	0.48	42.0	0.17	32.4					0.28	18.0		

Note: Removal from Shades in 1999 and from Clifty Falls (all years) was by bow hunters

Brown Co. 1993 was a one day removal and 1995 (all parks) was a three day removal

R/E = Reduction per effort (a value of 0.20 equals 20 deer removed in one day by 100 individuals)

#/Sq mile = number of deer removed per square mile of park habitat

**Table 3. Current status of parks and recommended parks for deer reduction during fall, 2002**

Park	Year of Last Removal	R/E	#/Sq Mile	Removal in 2002
Brown County	2001	0.22	9.9	No
Charlestown	2001	0.21	14	No
Indiana Dunes	2001	0.2	15.5	No
Pokagon	2001	0.17	12.3	No
McCormick Creek	2000	0.22	14.7	Yes
Potato Creek	2000	0.3	21.7	Yes
Shakamac	2000	0.23	16.4	Yes
Spring Mill	2000	0.2	10.7	Yes
Chain'o'Lakes	2001	0.48	42	Yes
Clifty Falls	2001	0.17	32.4	Yes
Harmonie	2001	0.43	38.1	Yes
Lincoln	2001	0.38	24.6	Yes
Shades	2001	0.27	22	Yes
Tippecanoe River	2001	0.27	24.1	Yes
Turkey Run	2001	0.28	18	Yes
Versailles	2001	0.31	25.7	Yes
Whitewater	2001	0.33	34.8	Yes
Ft. Harrison	Some damage occurring --should have a deer reduction in 2002 or 2003			
Mounds	Needs more evaluation			
Oubache	Damage present--should have a deer reduction in 2002			
Prophetstown	Land purchase in process---reduction probably needed when complete			
Summit Lake	Needs more evaluation			